

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,967,240 B1
APPLICATION NO. : 10/070302
DATED : November 22, 2005
INVENTOR(S) : Daniel R. Dietrich et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Inventors (75), line 5, "San Francisco, CA (US)" should read --Burlingame, CA (US)--;

Inventors (75), line 7, "Oslo (NO)" should read --Hamilton (NZ)--;

Abstract (57), line 6, "affinty" should read affinity--;

Column 2, line 16, "halflifetimes" should read --half-lifetimes--;

Column 5, line 31, "trimethyl-lphenyldeca-4,6-dienic acid" should read --trimethyl-10-phenyldeca-4,6-dienic acid--;

Column 5, line 40, "9 of dry" should read --g of dry--;

Column 7, line 44, "ant-ADDA" should read --anti-ADDA--;

Column 8, line 27, within the blocked diagram, "N-Boc-Adda-OMe" should read --N-Ac-Adda-OMe--;

Column 9, line 35, "% 0.99" should read --‰ 0.99--;

Column 9, line 41, "C₂₂H₃₂NO₄" should read --C₂₂H₃₂NO₄--;


Column 10, line 38, within blocked diagram, "CO₂Me" should read --CO₂H--;

Column 10, line 50, "0.01 1 mmol)" should read --(0.011 mmol)--;

Column 10, line 51, "1.7r ml" should read --1.75 ml--;

Column 11, line 18, "(100 μI)" should read --(100 μl)--;

Column 11 and 12, bottom of page, replace the formula that spans both columns with the following:



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,967,240 B1
APPLICATION NO. : 10/070302
DATED : November 22, 2005
INVENTOR(S) : Daniel R. Dietrich et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16, line 58, "ESI-MS mlz" should read --ESI-MS m/z--;

Column 16, line 64, "cBSAADDA-and" should read --cBSA-ADDA-and--;

Column 18, line 9, "polvclonal" should read --polyclonal--;

Column 18, line 64, "#3G10B 10" should read --#3G10B10--.

Column 19, line 36, "2.5 μ ml" should read --2.5 μ g/ml--;


Column 20, line 1, "PreDARATION" should read --Preparation--;

Column 20, line 43, "165 H₂O₂" should read --165 μ l H₂O₂--; and

Column 26, claim 12, line 24, "claim to" should read --claim 3 to--.

Signed and Sealed this

Seventeenth Day of October, 2006

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a cursive "Dudas".

JON W. DUDAS
Director of the United States Patent and Trademark Office